

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 2	
2. MODIFICATION NO.: 0003		3. EFFECTIVE DATE SEP 16, 2002	4. REQUISITION/PURCHASE REQ. NO. W81W3G-2035-7181		PROJECT NO. (If applicable)
6. ISSUED BY Department of the Army Baltimore District, Corps of Engineers Contracting Division P.O. Box 1715 Baltimore MD 21203-1715		CODE CA31	7. ADMINISTERED BY: Contracting Division, Contracts Branch CENAB-CT-C 10 S. Howard ST. Room 7000 Baltimore, MD 21203-1715		CODE E1P0100
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)			(x)	9A. AMENDMENT OF SOLICITATION NO. DACA31-02-R-0054	
			X	9B. DATED (SEE ITEM 11) AUG 20, 2002	
				10A. MODIFICATION OF CONTRACT/ ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers **is not extended.**

DATE OF RECEIPT OF PROPOSAL 4:00 PM, LOCAL TIME, SEP 19, 2002

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER No. ITEM 10A
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR43.103(b)
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: changes clause FAR 52.243.1
D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

**CHILD DEVELOPMENT CENTER EXPANSION
GLEN HAVEN ANNEX, WALTER REED ARMY MEDICAL CENTER,
SILVER SPRING, MARYLAND**

SEE THE FOLLOWING PAGE

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

AMENDMENT NO. 0003 TO ADVERTISED RFP DACA31-02-R-0054
EFFECTIVE SEPT 16, 2002

AMENDMENTS:

- 1) Amendment 002, Item 15: Revise this item to read as follows:

Section 13965A, Paragraph 2.6: Immediately after this paragraph insert the following:.

“2.7 PORTABLE FIRE EXTINGUISHERS

Portable fire extinguishers shall meet the standards of NFPA 10 and shall be UL or equal certified. The Fire Extinguisher capacity shall be type 4A-60B:C or similar. The extinguishers shall be in glass front semi recessed cabinets. Cabinet to be constructed of 16 gage cold rolled steel with min. 22 gage steel for tubs. Cabinets shall have a clear glass door and shall be lockable. All finishes to be baked enamel. Cabinet construction shall maintain the fire rating of the wall in which it is located. Contractor to provide mounting and other accessories as required for proper operation of the fire extinguisher and cabinet. The cabinet shall meet ADAAG. Contractor to provide submittal drawings including standard manufacturers catalog for owner selection of extinguishers and cabinets with all options. Submittal drawings shall show mounting locations, heights and details. Provide allowance for training of personnel at the CDCX, testing and recharging of extinguishers after providing training.”

SPECIFICATIONS:

- 2) Section 01330, Submittal Register: Delete submittal register in its entirety and substitute the attached revised submittal register which includes Section 10505A submittals, dated Sep 16, 2002.
- 3) Section 10440A: Immediately after this section insert the attached Section 10505N, STEEL CLOTHING LOCKERS.

DRAWINGS:

- 4) Sheet A-3, General Notes: Add the following note:
“9. The sprinkler system in the specifications is integrated with the range hood in the kitchen. Since this is a commercial grade range it has it's own extinguisher system which serves the area directly above the range i.e. directly under the range hood.”

ATTACHMENTS:

- 1) Revised Eng Form 4288, Submittal Register, dated Sep 16, 2002.
- 2) Section 10505N, STEEL CLOTHING LOCKERS.

SUBMITTAL REGISTER, Sep 16, 2002

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEW	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		01000	SD-01 Preconstruction Submittals														
			Title Evidence														
			Invoice Copies														
			Payment Evidence														
			Photographs	1.11													
			SD-03 Product Data														
			Cost or Pricing Data	1.7													
			Equipment Data	1.8													
			SD-05 Design Data														
			Progress Schedule	1.2	G AR												
			SD-10 Operation and Maintenance Data														
			O and M Data	1.9													
			Commissioning Activity for HVAC	1.3.2	G AR												
		01050	SD-01 Preconstruction Submittals														
			Shut Down Utility Services	1.4.2	G AR												
			Checklist	1.4.3	G AR												
		01060	SD-01 Preconstruction Submittals														
			Safety Supervisor	1.3	G AR												
			SD-07 Certificates														
			Language Certification	1.3													
			SD-09 Manufacturer's Field Reports														
			Activity Phase Hazard Analysis Plan	1.3	G AR												
			Outline Report	1.3													

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		01060	OSHA Log	1.4.2.1													
		01070	SD-01 Preconstruction Submittals Procedures	3.4	G AR												
		01200	SD-04 Samples Sample Tags	1.7.2.2													
		01356	SD-07 Certificates Mill Certificate or Affidavit	2.1.3	G AR												
		01451	SD-01 Preconstruction Submittals CQC Plan	3.2	G AR												
			Phase Notification														
			CQC System Manager	3.4.2	G AR												
			SD-05 Design Data Notification of Changes	3.2.4													
			Punchlist	3.8.1													
			Minutes	3.3													
			SD-06 Test Reports Tests	3.7.1													
			Documentation	3.9													
			Tests Performed	3.7.1													
			QC Records	3.9	G AR												
		01510	SD-02 Shop Drawings Temporary Electrical Work	1.5	G AR												
		01561	SD-05 Design Data Facility Plan	1.9.4	G AR												
			Temporary Plan	1.9.5	G AR												
		01720	SD-11 Closeout Submittals														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEW	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		01720	Progress As-Built Prints	1.4	G AR												
			Final Requirements	1.6	G AR												
			CADD Files	1.6													
		01780A	SD-02 Shop Drawings														
			As-Built Drawings	1.2.1	G AR												
			SD-03 Product Data														
			As-Built Record of Equipment and Materials	1.2.2	G AR												
			Final Cleaning	1.5	G AR												
		02220a	SD-03 Product Data														
			Work Plan		G AR												
		02300	SD-06 Test Reports														
			Testing	3.10													
			Earthwork														
			SD-07 Certificates														
			Testing	3.10	G AR												
		02315	SD-06 Test Reports														
			Testing	3.15													
			SD-07 Certificates														
			Testing Laboratory	3.15	G AR												
		02316	SD-06 Test Reports														
			Field Density Tests	3.4.2													
			Testing of Backfill Materials														
			SD-07 Certificates														
			Testing Laboratory	3.4													
		02531a	SD-07 Certificates														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION
Glen Haven CDCX PN#056233

CONTRACTOR

ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEW	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		02531a	Portland Cement	2.7.1													
			Joints	2.3													
		02621a	SD-04 Samples														
			Materials	2.1	G AE												
			SD-07 Certificates														
			Materials	2.1	G AR												
		02630a	SD-03 Product Data														
			Placing Pipe	3.3													
			SD-07 Certificates														
			Resin Certification	2.1.1													
			Pipeline Testing	3.5													
			Hydrostatic Test on Watertight Joints	2.6													
			Determination of Density	3.4.5													
			Frame and Cover for Gratings	2.3.4													
		02770a	SD-03 Product Data														
			Concrete	2.1													
			SD-06 Test Reports														
			Field Quality Control	3.8													
		03100a	SD-02 Shop Drawings														
			Formwork	3.1.1													
			SD-03 Product Data														
			Design	1.3													
			Form Materials	2.1													
			Form Releasing Agents	2.1.4													
			SD-04 Samples														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REV NR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		03100a	Fiber Voids	2.1.5													
			SD-07 Certificates														
			Fiber Voids	2.1.5													
		03200a	SD-02 Shop Drawings														
			Reinforcement	3.1	G AE												
			SD-07 Certificates														
			Reinforcing Steel	2.2	G AR												
		03300	SD-03 Product Data														
			Mixture Proportions	1.7	G AE												
			SD-04 Samples														
			Surface Retarder	2.3.5													
			SD-06 Test Reports														
			Testing and Inspection for Contractor Quality Control	3.13	G AE												
			SD-07 Certificates														
			Qualifications	1.4													
		04220a	SD-02 Shop Drawings														
			Detail Drawings		G AE												
			SD-04 Samples														
			Expansion Joint Materials	2.11	G AE												
			Clay or Shale Brick	2.1.1													
			Concrete Masonry Unit	2.1.2													
			SD-05 Design Data														
			Steel Stud Wall Connection Calculations														
			SD-06 Test Reports														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		04220a	Masonry Veneer/Steel Stud Wall System		G AE												
			SD-07 Certificates														
			Clay or Shale Brick	2.1.1													
			Concrete Masonry Unit	2.1.2													
			Expansion Joint Materials	2.11													
			Insulation	2.4													
			Exterior Sheathing	2.6													
			Moisture Barrier	2.7.1													
			Vapor Retarder	2.7.2													
			Veneer Anchors	2.8													
			Welding	2.9.2													
		04230N	SD-02 Shop Drawings														
			Details of steel reinforcement	1.3.3	G AE												
			SD-03 Product Data														
			Wire reinforcement	2.4.1													
			SD-06 Test Reports														
			Unit strength method	1.3.4													
			Mortar properties	2.2.1	G AE												
			Grout	2.3	G AE												
			Concrete masonry units	2.1													
			admixtures	1.3.5	G AE												
			Grout strength	3.7.2	G AE												
			Mortar strength and properties	3.7.1	G AE												
			SD-07 Certificates														
			Cold weather installation	3.2.1	G												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		04230N	Hot weather installation	3.2.2	G												
		05120a	SD-02 Shop Drawings														
			Structural Steel System	2.1													
			Structural Connections	3.2.1	G AE												
			SD-03 Product Data														
			Erection	3.2													
			Welding	3.3													
			SD-07 Certificates														
			Mill Test Reports	1.7													
			Welder Qualifications	1.6													
			Welding Inspector	1.5													
			Fabrication	3.1													
		05300a	SD-02 Shop Drawings														
			Deck Units	2.1	G AE												
			Accessories	2.5	G AE												
			Attachments	3.2	G AE												
			Holes and Openings	3.3	G AE												
			SD-03 Product Data														
			Deck Units	2.1	G AE												
			Attachments	3.2	G AE												
			SD-07 Certificates														
			Deck Units	2.1													
		05400a	SD-02 Shop Drawings														
			Framing Components	2.1	G AE												
			SD-05 Design Data														
			Structural Analysis	1.5.5	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEW	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		05400a	SD-07 Certificates														
			Mill Certificates	1.4	G												
			Welds	3.2.1	G AR												
		05500a	SD-02 Shop Drawings														
			Miscellaneous Metal Items	1.6	G AE												
		06100a	SD-02 Shop Drawings														
			Installation of Framing	3.1	G AE												
			Nailers and Nailing Strips	3.4.3	G AE												
			SD-07 Certificates														
			Grading and Marking	2.1.1													
			Insulation	2.3	G ARE												
		06200a	SD-02 Shop Drawings														
			Finish Carpentry		G AE												
			SD-03 Product Data														
			Wood Items, Siding, and Trim	2.1													
			SD-04 Samples														
			Fascias and Trim	2.1.6													
		06410a	SD-02 Shop Drawings														
			Shop Drawings	1.7	G AE												
			Installation	3.1	G AE												
			SD-03 Product Data														
			Wood Materials	2.1	G AE												
			Wood Finishes	2.9	G AE												
			Finish Schedule	2.11.8.3	G AE												
			SD-04 Samples														
			Plastic Laminates	2.3	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH #	GOVT CLASSIFICATION REVWNR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		06410a	Cabinet Hardware	2.6	G AE												
			SD-07 Certificates														
			Quality Assurance	1.4													
			Laminate Clad Casework	2.9													
			Laminate Clad Casework	3.1													
		06650	SD-02 Shop Drawings														
			Shop Drawings	2.3	G AE												
			Installation	3.2	G AE												
			SD-03 Product Data														
			Solid polymer material	2.1	G AE												
			Qualifications	1.6													
			Fabrications	2.3													
			SD-04 Samples														
			Material	2.1	G AE												
			Counter and Vanity Tops	2.3.4													
			SD-06 Test Reports														
			Solid polymer material	2.1													
			SD-07 Certificates														
			Fabrications	2.3													
			Qualifications	1.6													
			SD-10 Operation and Maintenance														
			Data														
			Solid polymer material	2.1													
			Clean-up	3.3													
		07131a	SD-02 Shop Drawings														
			Waterproofing	3.1	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		07131a	SD-03 Product Data Installation	3.2													
			SD-07 Certificates Materials	2.1													
		07220a	SD-03 Product Data Application of Insulation Inspection	3.7 3.8													
			SD-07 Certificates Insulation Organic Roofing Felt	2.2 2.5													
		07311a	SD-03 Product Data Application of Roofing Materials	3.2													
			SD-04 Samples Shingles	2.1.5	G AE												
		07530a	SD-02 Shop Drawings Roofing System	1.3.2													
			SD-03 Product Data Installation Protection of Finished Roofing Inspection	3.3 3.5 3.6													
			SD-07 Certificates Materials	1.3.4													
		07600a	SD-02 Shop Drawings Materials	2.1	G AE												
		07840a	SD-02 Shop Drawings Firestopping Materials	2.1	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REV NR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		07840a	SD-07 Certificates														
			Firestopping Materials	2.1													
			Installer Qualifications	1.5													
			Inspection	3.3													
		07900a	SD-03 Product Data														
			Backing	2.1	G AE												
			Bond-Breaker	2.2	G AE												
			Sealant	2.5	G AE												
			SD-07 Certificates														
			Sealant	2.5													
		08110	SD-02 Shop Drawings														
			Doors	2.1	G G												
			Doors	2.1	G G												
			Frames	2.6	G G												
			Frames	2.6	G G												
			Accessories	2.4													
			Weatherstripping	2.7													
			SD-03 Product Data														
			Doors	2.1	G AE												
			Frames	2.6	G AE												
			Accessories	2.4													
			Weatherstripping	2.7													
			SD-04 Samples														
			Factory-applied enamel finish	2.9.4	G AE												
		08120	SD-02 Shop Drawings														
			Doors and frames	2.1	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVWNR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		08120	SD-08 Manufacturer's Instructions														
			Doors and frames	2.1													
		08210	SD-02 Shop Drawings														
			Doors	2.1	G AE												
			SD-03 Product Data														
			Doors	2.1	G AE												
			Accessories	2.2													
			Water-resistant sealer	2.3.6													
			warranty	1.4													
			Sound transmission class rating	2.1.3	G AE												
			Fire resistance rating	2.1.4	G AE												
			SD-04 Samples														
			Doors	2.1													
			Door finish colors	2.3.5.3	G AE												
			SD-06 Test Reports														
			Split resistance	2.4													
			Cycle-slam	2.4													
			Hinge loading resistance	2.4													
		08331a	SD-02 Shop Drawings														
			Approved Detail Drawings	3.1	G AE												
			SD-03 Product Data														
			Rolling Counter Doors	2.1													
			Installation	3.1													
			Cleaning	3.3													
			SD-10 Operation and Maintenance														
			Data														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION
Glen Haven CDCX PN#056233

CONTRACTOR

ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		08331a	Operation	2.2													
		08520a	SD-02 Shop Drawings														
			Aluminum Windows	2.1	G AE												
			Insect Screens	2.3	G AE												
			SD-03 Product Data														
			Aluminum Windows	2.1	G AE												
			SD-04 Samples														
			Aluminum Windows	2.1	G AE												
			SD-06 Test Reports														
			Aluminum Windows	2.1													
			SD-07 Certificates														
			Aluminum Windows	2.1													
		08710	SD-02 Shop Drawings														
			Hardware schedule	1.3	G AE												
			Keying system	2.3.5													
			SD-03 Product Data														
			Hardware items	2.3	G AE												
			SD-08 Manufacturer's Instructions														
			Installation	3.1													
			SD-10 Operation and Maintenance Data														
			Hardware Schedule	1.3	G AE												
			SD-11 Closeout Submittals														
			Key bitting	1.4													
		08810a	SD-02 Shop Drawings														
			Installation	3.2	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVW	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		08810a	SD-03 Product Data														
			Insulating Glass	2.2													
			Glazing Accessories	2.5													
			SD-04 Samples														
			Insulating Glass	2.2													
			SD-07 Certificates														
			Insulating Glass	2.2													
		08850	SD-03 Product Data														
			Fragment Retention Film	2.2	G AE												
			Cleaning	3.3													
			SD-04 Samples														
			Fragment Retention Film	2.2	G AE												
			SD-06 Test Reports														
			Fragment Retention Film	2.2													
			SD-07 Certificates														
			Fragment Retention Film	2.2													
		09250	SD-03 Product Data														
			Cementitious backer units	2.1.3													
			Water-Resistant Gypsum Backing Board	2.1.2													
			Accessories	2.1.7													
			SD-07 Certificates														
			Asbestos Free Materials	2.1	G AR												
		09510A	SD-02 Shop Drawings														
			Approved Detail Drawings	1.3	G AE												
			SD-03 Product Data														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		09510A	Acoustical Ceiling Systems	2.4	G AE												
			SD-04 Samples														
			Acoustical Units	2.1	G AE												
			SD-06 Test Reports														
			Fire Resistive Ceilings	2.4													
			Ceiling Attenuation Class and Test	2.7													
			SD-07 Certificates														
			Acoustical Units	2.1													
		09650A	SD-03 Product Data														
			Resilient Flooring and Accessories		G AE												
			SD-04 Samples														
			Flooring	3.2	G AE												
			SD-06 Test Reports														
			Moisture Test	3.3													
		09720A	SD-03 Product Data														
			Wallcoverings	2.1	G AE												
			Manufacturer's Instructions	3.2	G AE												
			Installation	3.3													
			Maintenance	1.6													
			Clean-Up	3.4													
			SD-04 Samples														
			Wallcoverings	2.1	G AE												
			SD-07 Certificates														
			Wallcoverings	2.1													

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVWNR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		09900	SD-02 Shop Drawings														
			Piping identification	3.12													
			stencil	3.12													
			SD-03 Product Data														
			Coating	2.1	G AE												
			Manufacturer's Technical Data	2.1													
			Sheets														
			Sealant	3.3.5													
			SD-04 Samples														
			Color	1.9	G AE												
			SD-07 Certificates														
			Applicator's qualifications	1.3													
			Qualification Testing	1.4.1.2													
			SD-08 Manufacturer's Instructions														
			Application instructions	3.4.1													
			Mixing	3.8.2													
			Manufacturer's Material Safety	1.7.2													
			Data Sheets														
			SD-10 Operation and Maintenance														
			Data														
			Coatings:	2.1													
		09915	SD-04 Samples														
			Color Schedule	2.2	G AE												
		10260A	SD-02 Shop Drawings														
			Wall Covering/Panels	2.2	G AE												
			SD-03 Product Data														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION
Glen Haven CDCX PN#056233

CONTRACTOR

ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		10260A	Wall Covering/Panels	2.2													
			SD-04 Samples														
			Finish	2.4	G AE												
			SD-07 Certificates														
			Wall Covering/Panels	2.2													
		10430A	SD-02 Shop Drawings														
			Approved Detail Drawings	3.1	G AE												
			SD-03 Product Data														
			Modular Exterior Signage System	2.1	G AE												
			Installation	3.1													
			Exterior Signs														
			SD-04 Samples														
			Exterior Signs														
			SD-10 Operation and Maintenance														
			Data														
			Protection and Cleaning	3.1.2													
		10440A	SD-02 Shop Drawings														
			Detail Drawings	3.1	G AE												
			SD-03 Product Data														
			Installation	3.1													
			SD-04 Samples														
			Interior Signage	1.3													
			SD-10 Operation and Maintenance														
			Data														
			Approved Manufacturer's	3.1													
			Instructions														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY					MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE	DATE OF ACTION		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		10505N	SD-02 Shop Drawings														
			Types	2.1	G AE												
			Location	2.1	G AE												
			Installation	3.1													
			Numbering system	3.2													
			SD-03 Product Data														
			Material	2.2													
			Finish	2.2.3													
			components	2.3													
			Assembly	3.1													
			SD-04 Samples														
			Color chips	1.5.1	G AE												
		10800A	SD-03 Product Data														
			Finishes	2.1.2	G AE												
			Accessory Items	2.2	G AE												
			SD-04 Samples														
			Finishes	2.1.2	G AE												
			Accessory Items	2.2													
		11400A	SD-02 Shop Drawings														
			Food Service Equipment	2.1.6	G AE												
			Installation	3.1	G AE												
			SD-03 Product Data														
			Food Service Equipment	2.1.6	G AE												
			SD-06 Test Reports														
			Testing	3.3	G AE												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVWNR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		11400A	SD-10 Operation and Maintenance Data														
			Food Service Equipment	2.1.6													
		12320A	SD-02 Shop Drawings Installation	3.1	G AE												
			SD-03 Product Data Cabinets	2.1	G AE												
			Countertops and Backsplash	2.2	G AE												
			SD-04 Samples Cabinets	2.1													
			Countertops and Backsplash	2.2													
			SD-06 Test Reports Cabinets and Countertops														
		12490A	SD-02 Shop Drawings Approved Detail Drawings	3.2	G AE												
			SD-03 Product Data Window Treatments	3.2	G												
			Hardware	1.3	G AE												
			SD-04 Samples Window Treatments	3.2	G AE												
		13850A	SD-02 Shop Drawings Fire Alarm Reporting System		G												
			SD-03 Product Data Storage Batteries	2.2	G												
			Voltage Drop		G												
			Spare Parts	2.7.3													

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION
Glen Haven CDCX PN#056233

CONTRACTOR

ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		13850A	Technical Data and Computer Software	1.5	G												
			Training	3.6	G												
			Testing	3.5	G												
			SD-06 Test Reports														
			Testing	3.5	G												
			SD-07 Certificates														
			Equipment	3.4.1	G												
			Qualifications	1.3.7	G												
			SD-10 Operation and Maintenance Data														
			Technical Data and Computer Software	1.5	G												
		13965A	SD-02 Shop Drawings														
			Wet Chemical Fire Extinguishing System	2.4	G												
			SD-03 Product Data														
			Similar Services		G												
			Wet Chemical Fire Extinguishing System	2.4	G												
			SD-07 Certificates														
			Installation Technician	1.3.4	G												
			Installation Drawings	1.3.3	G												
			SD-10 Operation and Maintenance Data														

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH #	GOVT CLASSIFICATION REV NR	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		13965A	Wet Chemical Fire Extinguishing System	2.4	G												
		15080A	SD-04 Samples Thermal Insulation Materials		G ED												
		15182A	SD-03 Product Data Refrigerant Piping System ED	2.3	G												
			SD-06 Test Reports Refrigerant Piping Tests	3.3													
		15400A	SD-03 Product Data Plumbing Fixture Schedule Vibration-Absorbing Features	3.8	G AE G ED												
			SD-06 Test Reports Tests, Flushing and Disinfection	3.7													
		15566A	SD-02 Shop Drawings Heating Equipment ED		G												
		15700A	SD-03 Product Data Unitary Equipment ED	2.4	G												
			SD-10 Operation and Maintenance Data Operation Manuals Maintenance Manuals	3.4													
		15895A	SD-03 Product Data Components and Equipment	2.1	G												

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		15895A	ED														
			Testing, Adjusting and Balancing	3.4	G												
			Field Training	3.5													
			SD-10 Operation and Maintenance Data														
			Operating and Maintenance Instructions	3.5													
		15990A	SD-06 Test Reports														
			TAB Report	3.4.3	G ED												
		16415A	SD-02 Shop Drawings														
			Interior Electrical Equipment		G												
			SD-03 Product Data														
			Manufacturer's Catalog		G												
			Material, Equipment, and Fixture Lists		G												
			Installation Procedures														
			As-Built Drawings	1.2.6	G												
			Onsite Tests	3.21.2	G												
			SD-06 Test Reports														
			Factory Test Reports		G												
			Field Test Plan		G												
			Field Test Reports	3.19	G												
			SD-07 Certificates														
			Materials and Equipment	1.4													
		16710A	SD-02 Shop Drawings														
			Premises Distribution System	1.7													

SUBMITTAL REGISTER

CONTRACT NO.

TITLE AND LOCATION Glen Haven CDCX PN#056233						CONTRACTOR											
ACTIVITY NO	TRANSMITTAL NO	SPEC SECT	DESCRIPTION ITEM SUBMITTED	PARAGRAPH	GOVT CLASSIFICATION REVIEWER	CONTRACTOR: SCHEDULE DATES			CONTRACTOR ACTION		APPROVING AUTHORITY				MAILED TO CONTR/ DATE RCD FRM APPR AUTH	REMARKS	
						SUBMIT	APPROVAL NEEDED BY	MATERIAL NEEDED BY	ACTION CODE	DATE OF ACTION	DATE FWD TO APPR AUTH/ DATE RCD FROM CONTR	DATE FWD TO OTHER REVIEWER	DATE RCD FROM OTH REVIEWER	ACTION CODE			DATE OF ACTION
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
		16710A	Record Drawings														
			SD-03 Product Data														
			Record Keeping and Documentation	1.8	G												
			Spare Parts														
			Manufacturer's Recommendations	3.1.2													
			Test Plan														
			Qualifications	1.4													
			SD-06 Test Reports														
			Test Reports														
			SD-07 Certificates														
			Premises Distribution System	1.7													
			Materials and Equipment	2.1	G												
			Installers		G												

SECTION 10505N

STEEL CLOTHING LOCKERS

09/99

PART 1 GENERAL

1.1 REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to within the text by the basic designation only.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM A 366/A 366M	(1997) Commercial Quality (CS) Steel, Carbon, (0.15 Maximum Percent) Cold-Rolled
ASTM A 569/A 569M	(1998) Steel, Carbon (0.15 Maximum, Percent), Hot-Rolled Sheet and Strip Commercial
ASTM A 653/A 653M	(1998) Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
ASTM B 456	(1995) Electrodeposited Coatings of Copper Plus Nickel Plus Chromium and Nickel Plus Chromium
ASTM D 2092	(1995) Preparation of Zinc-Coated (Galvanized) Steel Surfaces for Painting

U.S. GENERAL SERVICES ADMINISTRATION (GSA)

FS AA-L-00486	(Rev. J) Lockers, Clothing, Steel
---------------	-----------------------------------

U.S. DEPARTMENT OF DEFENSE (DOD)

MIL-C-22750	(Rev. F) Coating, Epoxy, High Solids
MIL-P-23377	(Rev. G) Primer Coatings: Epoxy, Chemical and Solvent Resistant

1.2 SUBMITTALS

Submit the following in accordance with Section 01330, "Submittal Procedures."

SD-02 Shop Drawings

Types; G AE

Location; G AE

Installation

Numbering system

SD-03 Product Data

Material

Finish

Locker components

Assembly instructions

SD-04 Samples

Color chips; G AE

1.3 DELIVERY, HANDLING, AND STORAGE

Deliver lockers and associated materials in their original packages, containers, or bundles bearing the manufacturer's name and the name of the material. Protect from weather, soil, and damage during delivery, storage, and construction.

1.4 FIELD MEASUREMENTS

To ensure proper fits, make field measurements prior to the preparation of drawings and fabrication.

1.5 QUALITY ASSURANCE

1.5.1 Color Chips

Provide a minimum of three color chips, not less than 3 inches square, of each color indicated.

PART 2 PRODUCTS

2.1 TYPES

FS AA-L-00486. Provide Type II, double-tier, Style 1 lockers in the location, quantities and size indicated. Provide locker finish color. Provide lockers "set-up" (pre-assembled).

2.2 MATERIAL

2.2.1 Steel Sheet

ASTM A 366/A 366M or ASTM A 569/A 569M, commercial quality, minimized spangle material. Prepare material surfaces for baked enamel finishing in accordance with FS AA-L-00486. Minimum uncoated sheet thickness as specified.

2.2.2 Chromium Coating

Nickel and chromium electrodeposited on the specified base metal. Conform to ASTM B 456, SC-3, as applicable to the base metal.

2.2.3 Finish

Primer, MIL-P-23377; topcoat, MIL-C-22750.

2.2.3.1 Color

As selected.

2.3 COMPONENTS

2.3.1 Built-In Locks

Provide a padlock eye in the door latching mechanism.

Built-in locks are not required.

2.3.2 Coat Hooks

FS AA-L-00486, chromium plated.

2.3.3 Hanger Rods

FS AA-L-00486.

2.3.4 Door Handles

FS AA-L-00486. Provide zinc alloy or steel handles with a chromium coating.

2.3.5 Doors

FS AA-L-00486, not less than 0.0598 inch thick steel sheet.

2.3.5.1 Hinges

In addition to the requirements of FS AA-L-00486, provide 5-knuckle hinges, minimum 2 inches high. Fabricate knuckle hinges from not less than 0.0747 inch thick steel sheet. A full height piano hinge may be provided if standard with the manufacturer. Weld or bolt hinges to the door frame. Weld, bolt, or rivet hinges to the door.

2.3.5.2 Latching Mechanisms

FS AA-L-00486.

2.3.6 Latch Strikes

FS AA-L-00486. Fabricate from not less than 0.0747 inch thick steel sheet, except latch strike may be continuous from top to bottom and fabricated as part of the door framing.

2.3.7 Silencers

FS AA-L-00486.

2.3.8 Back and Side Panels, Tops, and Bottoms

FS AA-L-00486, not less than 0.0474 inch thick steel sheet.

2.3.9 Legs

Provide lockers without legs, as indicated.

2.3.10 Number Plates

Provide Aluminum number plates with consecutive numbers from 1 to 78 per FS AA-L-00486.

2.3.11 Fastening Devices

Provide bolts, nuts, and rivets as specified in FS AA-L-00486.

PART 3 EXECUTION

3.1 ASSEMBLY AND INSTALLATION

Assemble lockers according to the locker manufacturer's instructions. Align lockers horizontally and vertically. Secure lockers to wall with screws as indicated. Bolt adjacent lockers together. Adjust doors to operate freely without sticking or binding and to ensure they close tightly.

3.2 NUMBERING SYSTEM

Install number plates on lockers consecutively with odd numbers on top and even numbers on bottom.

3.3 FIELD QUALITY CONTROL

3.3.1 Testing

Government may request performance-characteristic tests on assembled lockers in accordance with FS AA-L-00486. Lockers not conforming will be rejected.

3.3.2 Repairing

Remove and replace damaged and unacceptable portions of completed work with new.

3.3.3 Cleaning

Clean surfaces of the work, and adjacent surfaces soiled as a result of the work, in an approved manner. Remove equipment, surplus materials, and rubbish from the site.

-- End of Section --