

AMENDMENT OF SOLICITATION

1. AMENDMENT/MODIFICATION NO. <b>0005</b>		2. EFFECTIVE DATE <b>MAY 09, 2003</b>	
3. ISSUED BY  DEPARTMENT OF THE ARMY, BALTIMORE DISTRICT CORPS OF ENGINEERS P.O. BOX 1715 BALTIMORE, MARYLAND 21203-1715			
4. NAME AND ADDRESS OF CONTRACTOR (Name, street, county, State and ZIP Code)		4A. AMENDMENT OF SOLICITATION NO.  <b>DACW31-03-R-0008</b>	
		4B. DATED (SEE ITEM 5) <b>APRIL 03, 2003</b>	
5. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <b>is not extended.</b> <b>DATE OF RECEIPT OF PROPOSAL 4:00 PM, Local Time MAY 15, 2003</b> Others must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 4 and 8, and returning <u>1</u> copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of the amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.			
6. ACCOUNTING AND APPROPRIATION DATA (If required)  <b>LUKE C. MOORE SENIOR HIGH SCHOOL WASHINGTON, D.C.</b>			
7. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)  <p style="text-align: center;"><b><u>SEE THE FOLLOWING PAGES</u></b></p>			
Except as provided herein, all terms and conditions of the document referenced in Item 4A, as heretofore changed, remains unchanged and in full force.			
8. NAME AND TITLE OF SIGNER (Type or print)		9. CONTRACTOR/OFFEROR  _____ (Signature of person authorized to sign)	10. DATE SIGNED

AMENDMENT NO. 0005 TO ADVERTISED RFP DACW31-03-R-0008  
EFFECTIVE: MAY 09, 2003

SPECIFICATIONS:

1) Section 02260-1, Paragraph 1.2: Substitute the following for the paragraph following item “e”:

“Temporary slopes shall be designed by a qualified professional engineer and in accordance with OSHA excavation regulations. All temporary slopes shall be protected as necessary. All proposed slopes shall be observed in the field and approved by a qualified Professional engineer. Slopes in natural soils should not be steeper than 1H:1V.”

2) Section 02882-9, Paragraph 2.3: Add the following:

e. Subbase: 6” gravel.

3) Section 03300:

- a) Revise paragraph 2.3.1.2 Required Average Strength of Mix Design to paragraph 2.3.1.3.
- b) Add paragraph 2.3.1.2 Lightweight Concrete Proportion, as follows:

“ACI 211.1, using weight method. Provide ASTM C 330 aggregates for concrete; 105 pcf (dry) with a minimum 28 day compressive strength of 3500 psi. Provide ¾” maximum aggregate. Range of slump to be 4 inches. Maximum water cement ratio to be 0.58.”

- c) Paragraph 2.3.1, revise compressive strength for concrete exposed to weather to 3500 psi
- d) Paragraph 2.3.1, revise compressive strength for concrete in all other areas to 3000 psi.

4) Section 09250-6, Paragraph 2.1.10.1: Substitute the following paragraph:

“Provide pre-formed structural corner comprised of tapered plastic center membrane with pre-finished paper surface and 3/8” paper flap at all gypsum board wall corners and edges.

5) Division 15: Throughout delete all references to Sections 15070 and 13080.

6) Section 15070A: Delete this section in its entirety.

7) Section 15895-20, Paragraph 2.9.1.2: Revise “Fans shall be mounted in a welded tubular casing.” to read “Fan housing shall be aluminum or welded steel.”

AMENDMENT NO. 0005 TO ADVERTISED RFP DACW31-03-R-0008  
EFFECTIVE: MAY 09, 2003

DRAWINGS:

- 8) Sheets A-2.1, A-2.2 and A-2.5:
  - a) Revise brick color at corbels from Brick Color 2 to Brick Color 1, per details B1 and D1 on sheet A-2.5.
  - b) Revise brick color at jack arches from Brick Color 2 to Brick Color 1.
- 9) Sheet A-2.5: At Detail B1 revise arrow indication to extend brick pattern full height of elevation.
- 10) Sheet A-3.7: Add Note 1 at frame 7.
- 11) Sheet A-5.3: At details E1 and E3 add the following note: "Provide handrails at either side of stair, extending 12" beyond top landing and 11" beyond bottom tread."
- 12) Sheet S-3.1: Provide additional slab on grade control joints, approximately 60 lineal feet, locations to be identified in conformed set.
- 13) Sheet S-4.1: At curved Auditorium wall, provide note as follows: "See architectural drawings for radius dimensions."
- 14) Sheet M-5.6: Revise fan schedule to include the following: "Note 6 Provide baked epoxy powder coating." Add note 6 for EF-13 and EF-14.