

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 1
2. MODIFICATION NO.: 0006	3. EFFECTIVE DATE SEP 03, 2004	4. REQUISITION/PURCHASE REQ. NO. W81W3G-2035-7181	PROJECT NO. (If applicable)	
6. ISSUED BY Department of the Army Baltimore District, Corps of Engineers Contracting Division P.O. Box 1715 Baltimore MD 21203-1715	CODE CA31	7. ADMINISTERED BY: Contracting Division, Contracts Branch CENAB-CT-C 10 S. Howard ST. Room 7000 Baltimore, MD 21203-1715	CODE	E1P0100
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)		(x)	9A. AMENDMENT OF SOLICITATION NO. W912DR-04-R-0061	
		X	9B. DATED (SEE ITEM 11) AUG 13, 2004	
			10A. MODIFICATION OF CONTRACT/ ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers **is not extended.**

DATE OF RECEIPT OF PROPOSALS 4:00 PM, LOCAL TIME SEP 13, 2004

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER No. ITEM 10A
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR43.103(b)
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: changes clause FAR 52.243.1
D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

**RENOVATE BUILDING 120, PHASE 1
ABERDEEN PROVING GROUND, MARYLAND**

DRAWINGS:

Drawing E-602: Revise Fixture Type I for lamp type, manufacturer/catalog number and remarks as shown in attached Sketch SK-E11, dated 09-02-04.

ATTACHMENTS: Sketch: SK-E11 (ignore Amendment 2 reference on Sketch).

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

	DIMMABLE T8 FLUORESCENT, MULTI-PURPOSE, WIDE STRIP, 6-LAMP FIXTURE FOR WINDOW COVE. 8' LENGTH.	SURFACE COVE	6	32	T8	LITHONIA TUN-6-32-277-(2)ECO-T832-277-3	277	MOUNT IN LIGHT BOX BELOW GLASS BLOCK WALL. COORDINATE WITH ARCHITECT.
	ROUGH SERVICE FLOOD LIGHT WITH WIDE BEAM, RUGGED HEAVY WALL CAST ALUMINUM CORROSION RESISTANT HOUSING, SHOCK AND VIBRATION RESISTANT.	SURFACE	1	500	PAR 56 QUARTZ HALOGEN	PAULUHN 746AQM; INX3583 (LAMP)	120	MOUNT ON CONCRETE 'HAUNCH ON COLUMN.' PROVIDE CAST ALUMINUM WITH MILL FINISH.
	MR-16 LIGHTING FIXTURE, 6000-SERIES ALUMINUM, MACHINED RING.	TRACK	1	50	MR-16	LITELAB M-1332-LHO-9B-NT-SU1/a	12	
	MR-16 LIGHTING FIXTURE, CYLINDRICAL GLASS SHADE.	TRACK	1	50	MR-16 NFL 30	EUREKA E4034-WN-H	12	PROVIDE TRACK MOUNTING ADAPTER.



RENOVATE BUILDING 120 - AMENDMENT 2

LIGHTING FIXTURE SCHEDULE REVISION

CONTRACT / BACKSI-01-D-0020	DATE:
WORK REQUEST: MTG-000-D-01	09-02-04
WPA WORK ORDER NO: 0022-12	DRAWING NO.
REF.	DRAWING E-602
FILE NAME	SK-E01
MA:0028-71500705-01.dgn	
Fr:Sep 03 00:07:50 2004	